

# Text Analysis of Death Certificate Records to Ascertain Drugs Involved in Deaths in the National Vital Statistics System

Merianne Rose Spencer<sup>1</sup>, Brigham A. Bastian<sup>2</sup>, and Margaret Warner<sup>2</sup>

Division of Analysis and Epidemiology<sup>1</sup>, Division of Vital Statistics<sup>2</sup>

National Center for Health Statistics

Government Advances in Statistical Programming (GASP) Workshop Monday, September 23, 2019



## **Vital Statistics Rapid Release**

Provisional Drug Overdose Death Counts

# **Introduction: NCHS and NVSS**

- National Center for Health Statistics (NCHS) provides statistical information that guides actions and policies to improve the health of the American people
- National Vital Statistics System (NVSS) encompasses the processing and coding of birth and death certificate records from 57 jurisdictions\*
  - Cause-of-death (ICD-10) codes are assigned to death data received by jurisdictions at NCHS
  - Data are coded, processed and then disseminated for health statistics, surveillance and research

#### National Vital Statistics Reports



Volume 67. Number 9

December 12, 2018

#### Drugs Most Frequently Involved in Drug Overdose Deaths: United States. 2011–2016

by Holly Hedegaard, M.D., M.S.P.H., and Brigham A. Bastian, B.S., National Center for Health Statistics; James P. Trinidad, M.P.H., M.S., U.S. Food and Drug Administration; Merianne Spencer, M.P.H., and Marquaret Warner, Ph.D. National Center for Health Statistics

#### Abstract

Objective—This report identifies the specific drugs involved most frequently in drug overdose deaths in the United States from 2011 through 2016.

Methods-Record-level data from the 2011-2016 National Vital Statistics System-Mortality files were linked to electronic files containing literal text information from death certificates. Drug overdose deaths were identified using the International Classification of Diseases, Tenth Revision underlying causeof-death codes X40-X44, X60-X64, X85, and Y10-Y14, Drug mentions were identified by searching the literal text in three fields of the death certificate: the causes of death from Part I, significant conditions contributing to death from Part II, and a description of how the injury occurred. Contextual information was used to determine drug involvement in the death. Descriptive statistics were calculated for drug overdose deaths involving the 10 most frequently mentioned drugs. Deaths involving more than one drug (e.g., a death involving both heroin and cocaine) were counted in all relevant drug categories (e.g., the same death was included in counts of heroin deaths and in counts of cocaine overdose deaths involving methadone decreased from 1.4 per 100,000 in 2011 to 1.1 in 2016. The 10 most frequently mentioned drugs often were found in combination with each other. The drugs most frequently mentioned varied by the intent of the drug overdose death. In 2016, the drugs most frequently mentioned in unimethicnal drug overdose deaths were fentaryly, the control of the drugs most frequently mentioned bruth, and deaths, while the drugs most frequently mentioned bruth of the drugs of the drugs of the drugs of the drugs bruth of the drugs of the drugs of the drugs of the drugs bruth of the drugs of the drugs of the drugs of the drugs bruth of the drugs of the drugs of the drugs of the drugs bruth of the drugs of the drugs of the drugs of the drugs bruth of the drugs of

Conclusions—This report identifies patterns in the specific drugs most frequently involved in drug overdose deaths from 2011 through 2016 and highlights the importance of complete and accurate reporting in the literal text on death certificates.

Keywords: opioid • fentanyl • heroin • cocaine • National Vital Statistics System

#### Introduction

From 1999 through 2016, the age-adjusted rate of drug overdose deaths in the United States more than tripled from 6.1 per 100.000 to 19.8 per 100.000 (1). Multiple studies have used

NCHS Data Brief ■ No. 329 ■ November 2018

#### Drug Overdose Deaths in the United States, 1999-2017


Holly Hedegaard, M.D., Arialdi M. Miniño, M.P.H., and Margaret Warner, Ph.D.

Key findings

Data from the National Vital Statistics System, Mortality Deaths from drug overdose continue to be a public health burden in the United States (1–5). This report uses the most recent final mortality data from the National Vital Statistics System (NVSS) to update trends in drug overdose deaths, describe demographic and geographic patterns, and identify shifts in the types of drugs involved.

<sup>\*50</sup> states, New York City, District of Columbia and 5 US territories (American Samoa, Guam, Norther Marianas, Puerto Rico, and Virgin Islands)

# **Data Source: Death Certificate**





# **Demographic information**

Completed by the <u>funeral director</u> using information from the best qualified person: spouse, parent, child, another relative, or other person who has knowledge of the facts



## **Medical information**

For natural causes, completed by <u>attending</u> <u>physician</u>, nurse practitioner, physician's assistant

For sudden and unexplained deaths, completed by medical examiner, coroner, Justice of the Peace



# **Demographic information**


# U.S. Standard Death Certificate: Cause-of-Death Section

### Referred to as the literal text:

- the information written by the medical certifier on the cause, manner, circumstances, and other factors contributing to the death
  - Part I Chain of events that directly caused the death
  - Part II Significant conditions contributing to death
  - Box 43 Describe how the injury occurred


Г	CAUSE OF DEATH (See instructions and examples)  32. PART I. Enter the chain of events—diseases, injuries, or complications—that directly caused the death. Do NOT enter terminal events such as cardiac arrest, respiratory arrest, or ventricular fibrillation without showing the etiology. DO NOT ABBREVIATE. Enter only one cause on a line. Add additional lines if necessary.  IMMEDIATE CAUSE (Final disease or condition———————————————————————————————————				
	□ Yes □ Probably         □ Pregnant           □ No □ Unknown         □ Not pregn           □ Not pregn         □ Not pregn		nt within past year  t time of death  int, but pregnant within 42 days of death  nt, but pregnant 43 days to 1 year before death  if pregnant within the past year  40. PLACE OF INJURY (e.g., Decedent's home; constr	COMPLETE THE CAUSE OF DEATH?	

# Drug Overdose Death Rates, United States, 1999-2017



SOURCE: National Center for Health Statistics. National Vital Statistics System Mortality File, 1999-2017.

# Drug Overdose Death Rates, United States, 1999-2017



SOURCE: National Center for Health Statistics. National Vital Statistics System Mortality File, 1999-2017.

# Examples of common drugs found on death certificates without specific ICD-10 code

# **Opioids**

- Fentanyl
- Fentanyl analogs
- Oxycodone
- Hydrocodone
- Morphine
- Hydrocodone
- Tramadol

## **Stimulants**

- Methamphetamine
- MDMA

## Benzodiazepines

- Alprazolam
- Diazepam
- Clonazepam

3-Methylfentanyl
4-ANPP
4-MeO-Butyrylfentanyl
Acetylfentanyl
Acrylfentanyl
Acryloylfentanyl
Alfentanil
Butyrylfentanyl
Carfentanil


Despropionyl-fentanyl
Furanyl fentanyl
Methylfentanyl
Para-fluorobutyrl-fentanyl
Para-fluoroisobutyrylfentanyl
P-Fluoro-butyrylfentanyl
Remifentanil
Sufentanil

# Methods to Identify Specific Drugs on Death Records

- Collaboration between NCHS and FDA
- Developed methods to analyze literal text for mentions of specific drugs
  - Preprocessed text (e.g., remove stop words, special characters)
  - Examined and reviewed string terms and phrases
  - Categorized terms into categories (i.e., principal variants)
  - Considered context (e.g., "history of", "insulin-dependent")
- Referred to as the Drugs Mentioned with Involvement (DMI) methodology<sup>1</sup>

<sup>&</sup>lt;sup>1</sup> Drugs Mentioned with Involvement (DMI) methodology: <a href="https://www.cdc.gov/nchs/data/nvsr/nvsr65/nvsr65\_09.pdf">https://www.cdc.gov/nchs/data/nvsr/nvsr65/nvsr65\_09.pdf</a>

# **Selected Results**



SOURCE: Spencer MR, Warner M, Bastian BA, et al. Drug overdose deaths involving fentanyl, 2011-2016. Natl Vital Stat Rep. 2019 Mar;68(3):1-19.

Top drugs involved in drug overdose deaths, 2011 and 2016							
	2011		2016				
		# of		# of			
Rank	Referent drug	deaths	Referent drug	deaths			
1	Oxycodone	5,587	Fentanyl	18,335			
2	Cocaine	5,070	Heroin	15,961			
3	Heroin	4,571	Cocaine	11,316			
4	Methadone	4,545	Methamphetamine	6,762			
5	Alprazolam	4,066	Alprazolam	6,209			
6	Morphine	3,290	Oxycodone	6,199			
7	Hydrocodone	3,206	Morphine	5,014			
8	Methamphetamine	1,887	Methadone	3,493			
9	Diazepam	1,698	Hydrocodone	3,199			
10	Fentanyl	1,662	Diazepam	2,022			

SOURCE: Hedegaard H, Bastian BA, Trinidad JP, Spencer MR, Warner M. Drugs most frequently involved in deaths: United States, 2011-2016. Natl Vital Stat Rep. 2018 Dec;67(9):1-14.

# **Considerations and Next Steps**

- Literal text analyses can enable researchers to report with more granularity, the specific drugs involved in deaths
- Challenges
  - Identification of specific drugs is dependent on testing, interpretation and reporting by death certifiers
  - Temporal changes in reporting of the specific drugs can impact trends analyses
- Future steps
  - Automate these processes (e.g., machine learning), while recognizing that we must also identify terms that appear a small number of times

# **Questions?**

#### Merianne Rose T. Spencer, M.P.H.

Epidemiologist

Division of Analysis and Epidemiology

National Center for Health Statistics

301-458-4377 | kvd1@cdc.gov

### Brigham A. Bastian, B.S.

Statistician (Demography)
Division of Vital Statistics
National Center for Health Statistics
301-458-4517 | xcb7@cdc.gov

## Margaret Warner, Ph.D.

Injury Epidemiologist
Division of Vital Statistics
National Center for Health Statistics
301-458-4556 | mmw9@cdc.gov

The findings and conclusions of this report are those of the authors and do not necessarily represent the official position of the Centers for Disease Control and Prevention.